GLADIATOR

CATALOGUE

2017

INFLATABLE BOATS

ACCESSORIES FOR PVC BOATS

www.gboat.ru

GLADIATOR

OUR COMPANY

MANUFACTURING

GLADIATOR PVC inflatable boats are manufactured by Weihai BS Marine Co. Ltd. factory located in Weihai city in China.

Today, there are 75 employees working for the company.

Area of production workshops covers 7, 000 m2. Annual production amounts to 15,000 PVC inflatable boats of different kinds and modifications.

We work only with the world leading producers of materials and constituents for inflatable boats.

Our quality assurance department is responsible for quality control at all manufacturing stages. Additional examination of inflatable boats is performed in inflated condition. It takes from two to three days to exclude any possibility of manufacturing defect.

Our manufacturing processes have earned ISO and CE certifications.

Our company is growing and developing gradually. We exchange experiences with other manufactures at various international exhibitions.

ADVANTAGES OF GLADIATOR INFLATABLE BOATS

- We use only approved and reliable materials in inflatable boats manufacturing.
- We use triple gluing for joining seams and hot air welding techniques.
- Our quality assurance department is responsible for quality control. Quality assurance department employees have over 10 years of experience.
- Wide range of models will suit any preferences and any budget. We have boats for different operating conditions (5 boat series; material density from 850 to 1,350 g/m2; different accessories; plywood / aluminum floor or inflatable floor, as well as RIB).
- We use only high quality waterproof laminated plywood in inflatable boats manufacturing.
- All GLADIATOR boats (except for the Rowing Boats and Motor Boats Light Series series) possess additional protection of inflatable tubes and keel from mechanical damages in the form of armored belts of 20 and 8 cm, correspondingly.
- Over 15,000 GLADIATOR boats are supplied annually, and, according to statistics, rejection rate in 2013, 2014, and 2015 was less than 1%.
- Material warranty – 5 years, seams – 3 years, accessories - 1 year.
- Sealed partition-walls in tubes divide the boats into at least three compartments, which allows preserving buoyancy in case of damage of one or even two compartments
- Most of the models come with excess pressure valve, which excludes the possibility of tubes damaging in case of overheating on hot sunny days and in tropical countries.
- We are always open for your suggestions, comments, and ideas for improvements.

GLADIATOR

ROWING BOATS SERIES

A240 SF

A260 SF

ROWING BOATS SERIES

GLADIATOR PVC inflatable boats of the Rowing Boats series starts with A-SF and A-IF models (hung transom, inflatable floor). These models are designed for fishing, hunting, and recreation on still/low current bodies of water

A-SF (Slatted Floor) GLADIATOR rowing boats are made of high-quality polyvinyl chloride with the density of 850 g/m2. Standard set of accessories includes a seat and plywood floor insertion.

A-IF (AirDeck) - keelless motor-rowing boats with a hung transom and glued-in inflatable floor. They feature compact size of a rowing boat and a possibility to install a low-power boat engine.

Their Advantages are Obvious:

- Easily packed in a single bag and might be transported in a trunk of any vehicle without any cumbersome assembling-disassembling. Just inflate the boat and it is ready to go.
- No hard floor with stringers, which makes the cockpit sides less abraded
- Keelless and, as a result, flat floor, which significantly reduces water resistance. The boat can be used as a hydroglider by installing a low-power engine.
- It is not recommended to use boavts of this series on large water bodies, in presence of strong water current, and in windy conditions.

PACKAGE SET	A-HTH	A-SF
Motor bracket	▪	
2 alimimium oars	▪	▪
One aluminium seat for below 260. Two aluminium seats above 260	▪	▪
Towing handles	▪	▪
Nose handle	▪	▪
Side rope	▪	▪
Foot pump Bravo 7	▪	▪
Boat carrying bag	▪	▪
Repair kit	▪	▪

A280 HTH

MODEL	A220 SF	A220 HTH	A240 SF	A240 HTH
Overall Lengh	220 cm 7'22"	220 cm 7'22"	240 cm 7'87"	240 cm 7'87"
Overall Width	134 cm 4'4"	134 cm 4'4"	134 cm 4'4"	134 cm 4'4"
Number of Air Chambers	2	2+1	2	2+1
Tube Diameter	36 cm 14"	36 cm 14"	36 cm 14"	36 cm 14"
Weight	11 kg 24,25 lb	13 kg 28,66 lb	12 kg 26,46 lb	14 kg 30,86 lb
Maximum Load	160 kg 352,74 lb	160 kg 352,74 lb	220 kg 485,02 lb	220 kg 485,02 lb
Maximum Passengers	1	1	2	2
CE Category	D	D	D	D
Packaging Box Dimensions	880*580*320	930*580*320	880*580*320	930*580*320

MODEL	A260 SF	A260 HTH	A280 SF	A280 HTH
Overall Lengh	260 cm 8'53"	260 cm 8'53"	280 cm 9'19"	280 cm 9'19"
Overall Width	134 cm 4'4"	134 cm 4'4"	134 cm 4'4"	134 cm 4'4"
Number of Air Chambers	2	2+1	2	2+1
Tube Diameter	36 cm 14"	36 cm 14"	36 cm 14"	36 cm 14"
Weight	13 kg 28,66 lb	15 kg 33,07 lb	16 kg 35,27 lb	16 kg 35,27 lb
Maximum Load	250 kg 551,16 lb	250 kg 551,16 lb	310 kg 683,43 lb	310 kg 683,43 lb
Maximum Passengers	2	2	3	3
CE Category	D	D	D	D
Packaging Box Dimensions	880*580*320	930*580*320	880*580*320	930*580*320
Available Colors	Green, Dark Gray			

GLADIATOR

MOTOR BOATS LIGHT SERIES

AK260 AD

AK 280

MOTOR BOATS LIGHT SERIES

The next in the Motor Boats Light series are the boats of AK-AD (AirDeck) and AK-SF (Slatted Floor) models. These boats offer unique design with a fully-featured glued-in transom made of laminated waterproof plywood. Due to this fact, you can install a hung boat engine with capacity up to 15 h.p. depending on the boat length. Motor Boats Light series boats are made of 0.7 mm (850 g/m2) polyvinyl chloride, which ensures protection and small weight.

AK-AD (AirDeck) model includes keeled motor-bowing boats with a glued-in transom beam and Air Deck floor. It combines small weight, extended load capacity of the boats with an inflatable floor, and the possibility to install a low-capacity boat engine at a stationary transom as in the case of full-featured motor boats.

AK-SF (Slatted Floor) model includes keelless motor-rowing boats with a glued-in transom beam and Slatted floor. It features small weight and the ease of assembling comparable with the Rowing Boats series, while possessing a hard stationary transom beam, which allows to use a more powerful engine.

AK-WF (Wood Floor) can be considered as the initial model of the motorized series. It features a glued-in transom and rigid plywood floor and a full-featured inflatable keel. AK-WF boat has a moderate price and small weight.

AK300 AD

MODEL	AK260 AD	AK260 SF	AK280 AD	AK280
Overall Lengh	260 cm 8'5"	260 cm 8'5"	280 cm 9'2"	280 cm 9'2"
Overall Width	150 cm 4'9"	150 cm 4'9"	150 cm 4'9"	150 cm 4'9"
Number of Air Chambers	3+1	3+1	3+1	3+1
Tube Diameter	41 cm 16"	41 cm 16"	41 cm 16"	41 cm 16"
Weight	38 kg 83,8 lb	38 kg 83,8 lb	41 kg 90,4 lb	41 kg 90,4 lb
Maximum Power	6 hp	6 hp	6 hp	6 hp
Maximum Load	211 kg 465,2 lb	211 kg 465,2 lb	258 kg 568,8 lb	258 kg 568,8 lb
Maximum Passengers	2	2	2+1	2+1
CE Category	C	C	C	C
Packaging Box Dimensions	1100*680*380	1100*680*380	1100*680*380	1100*680*380

MODEL	AK300 AD	AK300
Price. excl VAT(Eur)	287	313
RRP incl. VAT(Eur)	521	568
Overall Lengh	300 cm 9'8"	300 cm 9'8"
Overall Width	150 cm 4'9"	150 cm 4'9"
Number of Air Chambers	3+1	3+1
Tube Diameter	41 cm 16"	41 cm 16"
Weight	44 kg 97 lb	44 kg 97 lb
Maximum Power	10 hp	10 hp
Maximum Load	315 kg 694,5 lb	315 kg 694,5 lb
Maximum Passengers	3	3
CE Category	C	C
Packaging Box Dimensions	1100*680*380	1100*680*380
Available Colors	Green, Dark Gray	

PACKAGE SET	AK-SF	AK-AD	AK
Slatted floor	▪		
Air Deck		▪	
Set of floor made of waterproof plywood (thickness 12mm) and aluminium stringers			▪
Laminated waterproof plywood transom	▪	▪	▪
2 alumimium oars	▪	▪	▪
2 aluminium seats	▪	▪	▪
Rubbing band	▪	▪	▪
Nose handle	▪	▪	▪
Side rope	▪	▪	▪
Foot pump Bravo 7	▪	▪	▪
Boat carrying bag	▪	▪	▪
Boat floor carrying bag	▪		▪
Repair kit	▪	▪	▪
Bonded Keel	▪	▪	▪

AK300 AD

GLADIATOR

MOTOR BOATS CLASSIC SERIES

B330 AD

B330 AL

MOTOR BOATS CLASSIC SERIES

GLADIATOR PVC inflatable boats of the Motor Boats Classic series represent the basic series of inflatable keeled boats with a stationary transom in the standard set of accessories. Motor Boats Classic series boats are good for fishing, active recreation on any bodies of water with no aggressive environment. Boats of this series have rounded tubes, which improves their running characteristics on water. The boats are made of polyvinyl chloride with the thickness of 0.7 mm and density of 850 g/m2 (floor 1,100 g/m2). All modifications of these series feature a blow-off valve to dump excessive pressure in the front tube section in case of excessive pumping or overheating on hot sunny days.

Boats of these series come with two different floors:

AD (AirDeck) – removable inflatable high-pressure floor. Due to high pressure, the floor does not sag under the human weight. The main advantage of AirDeck is small weight if compared with other kinds of boats.

AL (Aluminum Floor) – aluminum floor featuring anti-slippage notch with the set of aluminum stringers. This kind of floor is the best solution. You don't have to dry it, it is scratch and puncture resistant.

B420 AL

MODEL	B330 AD	B330 AL	B370 AL	B420 AL
Overall Lengh	330 cm 10'83"	330 cm 10'83"	370 cm 12'14"	420 cm 13'78"
Overall Width	154 cm 5'05"	154 cm 5'05"	172 cm 5'64"	190 cm 6'23"
Number of Air Chambers	3+1	3+1	3+1	3+1
Tube Diameter	42 cm 16,14"	45 cm 17,72"	45 cm 17,72"	55 cm 21,65"
Weight	55 kg 121,3 lb	68 kg 149,9 lb	68 kg 149,9 lb	87 kg 191,8 lb
Maximum Power	15 hp	15 hp	30 hp	40 hp
Maximum Load	438 kg 965,6 lb	438 kg 965,6 lb	597 kg 1316,2 lb	719 kg 1585,1 lb
Maximum Passengers	4+1	4+1	5+1	7
CE Category	C	C	C	C
Packaging Box Dimensions	1100*680*380	1100*680*380	1260*700*380	1350*740*400
Available Colors	Light + Dark Gray, Dark Gray, White Blue, Green, Red Black			

PACKAGE SET	AD	AL
Aluminium floor		▪
Air Deck	▪	
Laminated waterproof plywood transom	▪	▪
2 alumimium oars	▪	▪
2 aluminium seats	▪	▪
Bonded keel	▪	▪
Overpressure relief valve	▪	▪
Rubbing band	▪	▪
Towing eye, stainless steel	▪	▪
PVC passangers handles	▪	▪
Side rope	▪	▪
Foot pump Bravo 7	▪	▪
Boat carrying bag	▪	▪
Boat floor carrying bag		▪
Repair kit	▪	▪
Reinforced tubes with 20cm PVC tape at the bottom	▪	▪

B330 AL

GLADIATOR

MOTOR BOATS ACTIVE SERIES

C330 AL

C370 AL

MOTOR BOATS ACTIVE SERIES

Boats of the Motor Boats Active series differ from the Motor Boats Classic series by the extended set of completing units and the more reliable stringers fastening system (AL-package). It provides better fixing of the floor and floor stretching. Boats of this series are made of 0.9 mm polyvinyl chloride with the density of 1,100 g/m2.

Boats of the ACTIVE series are additionally equipped with:

- Soft seats covers for more comfort
- Removable under-seats bags where you can keep various small items
- Frontal rain protective cover made of reliable inflatable material. You can, use it to cover your kids or valuable items from wind, rain, and water splashes
- Frontal bag, which you can use to keep your clothes clean and dry.

Our customers appreciate Armor reliability (below at tubes and keel), which protects the boats from damages, and features exclusive colors - digital camouflage and canes will underline your individuality and make you stand out in a crowd of gray green boats.

The ACTIVE series features two versions of completing sets - removable inflatable high pressure floor AirDeck (AD) or aluminum floor with anti-slipping notches (AL).

C420 AL

MODEL	C330 AD	C330 AL	C370 AL	C420 AL
Overall Lengh	330 cm 10'83"	330 cm 10'83"	370 cm 12'14"	420 cm 13'78"
Overall Width	154 cm 5'05"	154 cm 5'05"	172 cm 5'64"	190 cm 6'23"
Number of Air Chambers	3+1	3+1	3+1	3+1
Tube Diameter	42 cm 16,5"	45 cm 16,5"	45 cm 17,7"	55 cm 21,6"
Weight	55 kg 121,3 lb	68 kg 149,9 lb	68 kg 149,9 lb	87 kg 191,8 lb
Maximum Power	15 hp	30 hp	20 hp	40 hp
Maximum Load	438 kg 966 lb	438 kg 966 lb	597 kg 1316 lb	719 kg 1585 lb
Maximum Passengers	4+1	4+1	5+1	7
CE Category	C	C	C	C
Packaging Box Dimensions	1100*700*400	1100*700*400	1260*700*400	1350*740*400
Available Colors	Light + Dark Gray, Dark Gray, White Blue, Green, Red Black, Camouflage			

PACKAGE SET	AD	AL
Air Deck	▪	
Laminated waterproof plywood transom	▪	▪
Aluminum floor with reinforced stringers	▪	▪
2 alumimium oars	▪	▪
2 aluminium seats	▪	▪
Bonded keel	▪	▪
Overpressure relief valve	▪	▪
Rubbing band	▪	▪
Towing eye, stainless steel	▪	▪
PVC passangers handles	▪	▪
Nose tent based on inflated construction	▪	▪
Bow bag	▪	▪
Soft pads for seats with seat bags	▪	▪
Side rope	▪	▪
Foot pump Bravo 7	▪	▪
Boat carrying bag	▪	▪
Boat floor carrying bag		▪
Repair kit	▪	▪
Anchor holder	▪	▪
Reinforced tubes with 20cm PVC tape at the bottom	▪	▪

C330 AD

GLADIATOR

RIB - RIGID INFLATABLE BOATS

RIB310AL

RIB350AL

RIB - RIGID INFLATABLE BOATS

RIB include fast running boats consisting of rigid non-folding framework which forms the floor and inflatable multi-chamber tubes made of polyvinyl chloride.

Framework rigidness permits to provide accurate contours of the floor which provide rising with the most efficient angle. The boats with the inflatable or rigid floor do not have that. Thus, RIB are many times better than ordinary PVC boats in terms of stability, velocity, passengers amenities , and an ability to glide with less efforts.

They consist of several inflatable tubes, which allows for almost complete unsinkability.

The tubes are made of polyvinyl chloride with the density of 1,100 g/m2 and thickness 0.9 mm.

The floor of RIB AL made of shipbuilding marine grade aluminum, Amg (alloy of aluminum with magnesium) with the thickness of 3 mm. It ensures resistance to corrosion by seawater. In addition, marine aluminum is characterized by good weldability and high strength characteristics. Powder painting.

Model 420AL is available with two versions of the floor, A and B:

- A - the floor with a convex form
- B - the floor with a straight form

Transom:
Aluminum RIBs feature a size S transom. Size L transom is available upon request.

RIB380AL

MODEL	RIB310AL	RIB350AL	RIB380AL
Overall Lengh	310 cm 10'2"	350 cm 11'48"	380 cm 12'47"
Internal Lengh	218 cm 7'15"	258 cm 8'46"	288 cm 9'45"
Overall Width	167 cm 5'5"	167 cm 5'5"	167 cm 5'5"
Internal Width	79 cm 2'59"	79 cm 2'59"	79 cm 2'59"
Dead Rise	16°	16°	16°
Number of Air Chambers	3	3	3
Tube Diameter	43 cm 17"	43 cm 17"	45 cm 18"
Weight	63 kg 138,9 lb	70 kg 154,32 lb	81 kg 178,57 lb
Maximum Power	20 hp	30 hp	30 hp
Maximum Load	550 kg 1212,5 lb	594 kg 1309,55 lb	690 kg 1521,2 lb
Maximum Passengers	4+1	5+1	7
Shaft	Short	Short	Short
CE Category	C	C	C
Available Colors	Light + Dark Gray		

PACKAGE SET	AL
Flat foor	▪
2 alumimium oars	▪
2 aluminium seats	▪
Overpressure relief valve	▪
Heavy duty rubbing strake & keel guard	▪
PVC passangers handles	▪
Nose handle	▪
Side rope	▪
Foot pump Bravo 7	▪
Repair kit	▪
Self-draining deck	▪
Bowloker	▪
Anti-slip deck	▪
Lifting points	▪

RIB350AL

GLADIATOR

ACCESSORIES FOR PVC BOATS

ACCESSORIES FOR PVC BOATS

AIR VALVE (GRAY / BLACK)

SEAT FROM A WET-RESISTANT LAMINATED VENEER

Boat length (sm)	Seat length (sm)
280-330	90
370-400	105

ALUMINIUM FOLDABLE OAR 1,52M AND 1,62M

ANCHOR EYEBROW WITH A WHEEL (GRAY / BLACK)

ANCHOR HOLDER

ONLAY FOR TRANSOM
FRONT METAL,
BACK PLASTIC
(GRAY / BLACK)

BLEED SAFE VALVE (GRAY / BLACK)

ALUMINUM BENCH SEAT

Boat length (sm)	Seat length (sm)
280-330	90
370-400	105
420-500	115

OAR HOLDER (GRAY / BLACK)



D-RING

DOUBLE D-RING

DRAIN VALVE WITH CORK (GRAY / BLACK)

DRAIN VALVE WITH DIAMETER 24 MM И 36 MM (GRAY / BLACK)

MOUNT FOR SEAT (GRAY / BLACK)

OAR LOCK (GRAY / BLACK)

HANDLE FOR PVC BOAT (GRAY / BLACK)

STRINGERS A, B SERIES



C, D SERIES

STRINGER PLUGS A, B SERIES

C, D SERIES

AIR-DECK

LENGTH (SM) 270/300/330

FOOT PUMP BRAVO 7

BRAVO 9

PARKING TENTS

LENGTH (SM) 330 /370 /400 /420 /450

ADAPTER FOR THE PUMP

PUMP FIXTURE FOR BRAVO 7/9

BIMINI TOP

LENGTH (SM) 330 /370 /400 /420 /450 /470 /500

REPAIR KIT

PRESSURE GAGE

SOFT SEATS WITH BAGS

ДЛИНА (см) 90 /105/ 115

HINGED TRANSOM

CARRYING BAG FOR PVC BOAT

LENGTH (SM) 280-330 370-400 420-500

BAG FOR PVC BOAT'S FLOOR

LENGTH (SM) 280-320 270-330 370-400 420-500

ANCHORS



1,5 KG
2,5 KG
3,2 KG
4 KG
6 KG
8 KG

TRANSOM WHEELS

260 MM, CURVED ARC

260 MM, NORMAL

350 MM, PNEUMO

GLADIATOR

HEADQUARTERS:

Weihai BS Marine
Address: P.R.China, Shandong Province, Weihai city, Huancui district, Wenquan Town, Hushan Village South, IRIS industrial park.
Tel: +86-631-5370989
Fax: +86-631-5370978
e-mail: yury.dunin@bsmarine.net

EUROPEAN DIVISION:

SIA BS Marine
Address: Latvia, Riga, 57 Brivibas street.
Tel: +371-66-100-108
Tel: +371-20-271-190
Tel: +371-66-100-109
e-mail: gatis.valdbergs@bsmarine.net